

six degrees flooring surfaces

a division of the Roppe Holding Company

Welcome to the exciting world of Six Degrees Flooring Surfaces™. When you select a floor from Six Degrees, you can rest assured you have selected one made from the highest quality, locally-sourced raw materials in a state-of-the-art, family-owned factory, right here in the USA. Our products are both durable and beautiful, and we take great pride in providing our customers with the best possible service and care. Innovative production technology, superior wear and scratch resistance, and our commitment to both you, our customer, and the environment are what set us apart from the rest. American made. American served.

You're just a few steps away from the high quality and high style of Six Degrees Flooring Surfaces™.

Table of Contents

- 3. Why Six Degrees?
- 5. Premium Construction
- 7. Sustainability
- 9. Radius Collection
- 11. Radius Colors
- 13. Radius 2.0 and DeGradus
- 15. Crossover Chart for Radius / 2.0 / DeGradus
- 17. Compass Collection
- 21. Compass Colors Collection
- 23. Impression Collection
- 25. Packing Data / Specifications
- 27. Excelsior / Installation Maintenance











RADIUS 2.0

20RP437_C23 Roosevelt Red



At Six Degrees Flooring Surfaces™, we take great pride in providing our customers with the highest quality, American made luxury vinyl tile & plank. Great care is taken throughout our production process to ensure a safe and sustainable flooring product; one that meets a variety of needs and aesthetics.

COMPASS - COMPASS COLOR

- Designer Inspired
- Low Maintenance

28 Atlanta CT205 C35 Tulsa

- Readily Available
- Eco Friendly
- Highly Durable
- Easy Installation

Premium Construction















Sustainability

At Six Degrees, we are dedicated to the environment and work tirelessly to provide LVT products that are not only beautiful, but durable and eco-friendly, as well. We are proud to be a strong environmental steward and continue to work to improve upon our sourcing and production practices, offering additional satisfaction that you have selected a floor with the environment in mind.

Our Story...

It began almost 15 years ago when senior managers from the Roppe Holding Company were introduced to Nox Corporation LVT/P from South Korea. Their high quality and aesthetics impressed the RHC team, who was looking to provide their customers with a durable LVT/P flooring option. For several years, a working relationship grew between the two companies as RHC purchased flooring products made in their Korean facilities. In 2014, an opportunity to manufacture these products in the U.S. became reality...an empty factory was found, equipment was installed, staff was hired, and Nox Corporation had a partner in RHC and a new U.S. operation in Fostoria, Ohio.



Fast forward two years to April of 2016, and the Six Degrees brand was born... launched to the North American market with Made in the USA LVT/P products. In 2017, Sustainable Purchasing Leadership Council (SPLC) recognized the RHC/Six Degrees effort with a Case Study Award on this collaborative work to onshore an international supplier.

Our Products...

We know it looks odd to say "no recycled content" in the LVT/P business, but that is how our products are made; with only the highest quality virgin materials, including limestone, PVC resin, non-phthalate plasticizers, films, and superior wear finishes. We know from Healthy Building Network* studies that a wide variety of ingredients have been used in vinyl flooring in the past... but that's not how we operate. Our materials are sourced in the USA, most of them regionally, and are free of asbestos, heavy metals and other chemicals of concern that can be introduced to new vinyl products through "recycled materials."

*To learn more about recycling concerns in flooring, see Healthy Building Network studies (California 2005)



Six Degrees LVT meets the toughest emissions test we have in the USA, the GREENGUARD Gold Certification standard by Underwriters Laboratory. In this test, our products spend two weeks in a small chamber with airflow simulating that of an office or education environment. Exiting air is filtered and the material filtered is

analyzed for volatile organic compounds, commonly know as VOCs. VOC levels need to be 1/3 to 1/10th of the threshold limit values to pass the GREENGUARD Gold Certification standard.



An Environmental Product Declaration (EPD) is available for our glue down LVT/P flooring products. An EPD ensures transparency in the composition of our products, how they are manufactured, and how they go to market. You, as the customer, can rest well knowing you are selecting a flooring product free of contaminants and harmful chemicals...one that is manufactured in the USA using regionally sourced raw materials, and once produced, a product that ships from our warehouse to your door.

The Six Degrees of Sustainability...

- Our floors are 100% recyclable after use, which means even when your life with the floor is complete, a new product can be created...and that means less waste in landfills.
- Proudly manufactured in the USA. Less transport and fuel costs are needed to get your new flooring to you, our valued customer.
- Our products do not require an additional finish, which means less chemicals, less water and less energy are needed to maintain them and keep them looking beautiful.
- Six Degrees uses only 100% virgin vinyl materials. There is no recycled content and therefore no need to worry about contaminants in your flooring.
- Only non-phthalate plasticizers are used in the production of our floors. Six Degrees was the first in the industry to make this important change.











PRODUCT
DECLARATION®
is available at
sixdegreesflooring.com

For additional room scene images of all Six Degrees products, please visit **sixdegreesflooring.com**, click on the product page to view colors & room scene options.

Radius[™] collection

The Radius™ Collection offers a wide selection of wood and stone visuals to fit any aesthetic need. It is the ideal flooring product for a variety of applications, including, but not limited to, corporate and medical office spaces, retail and residential. And now with our NEW Radius 2.0 20 mil format, you have even more options to meet your design needs. Our durable wear layer topped with a UV-cured ceramic-reinforced polyurethane finish provides maximum durability while ensuring long lasting beauty without the use of an on-site finish. Proudly made in the USA, the Radius™ Collection is produced and inventoried for quick turnaround times. With a variety of complementary color selections and patterns, you're just a few steps away from durability and beauty in one affordably priced package.



The Six Degrees of **Radius**™ VINYL FLOORING

- · A designer-inspired palette of colors and patterns, all at a single price point
- Enhanced performance and durability made possible by the addition of our Ceramic Reinforced Urethane (CRU)
- A lower-maintenance flooring option which does not require a finish
- An eco-friendly product made from locally sourced raw materials
- Simple glue down installation allows for greater pattern/ design flexibility
- Readily available...made and inventoried in the USA!

With a variety of style options and the eco-friendly nature of Radius[™], you're just a few steps away from *a floor that* delivers the utmost in design and performance.

FEATURES

- Easy to Maintain
- Qualifies for LEED® Credits
- GREENGUARD Gold® Certification
- UV-Cured Ceramic-Reinforced Finish
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable

WARRANTY

10-Year Commercial Warranty 20-Year Residential Warranty













RP312_C37 Palmer Plank

ENVIRONMENTAL PRODUCT DECLARATION® is available at

sixdegreesflooring.com

For additional room scene images of all Six Degrees products, please visit sixdegreesflooring.com, click on the product page to view colors & room scene options.

For the most current and complete technical, installation and maintenance information, please visit sixdegreesflooring.com



Radius[™] Colors

Planks • 7-1/8" x 47-1/4"



RP131_C02 Briggs Rustic



RP232_C04 RP233_C08 Union Plank McDougal Oak



RP312_C37 Palmer Plank



Nichols Oak

RP534_C08 Dashwood



RP174_C09 Huntingdon

RP324_C05

RP437_C23

RP545_C01

Myers Court





RP233_C17

Silver Steele

RP324_C06

Watson Iron

RP445_C19

RP546_C06

RP188_C29

RP233_C20

Woodland

RP454_C18

West Ridge Wood



RP208_C11 Miller Classic

RP233_C21

Burnham Oak

RP350_C01

RP511_C02

Vintage VanBuren



Alton Wood



RP220_C12 Alexander Oak



RP236_C13 Taylor Taupe



RP312 C04 Kennard Classic













RP401_C21





Gray Park

Planks

Nominal Dimensions: 7-1/8" x 47-1/4" x 3 mm plank Finish: Embossed 12 mil CRU Quantity Per Carton: 15 planks (7-1/8" x 47-1/4") Sq. Ft. Per Carton: 34.84 sq. ft./carton

Tiles

Nominal Dimensions: $12'' \times 24'' \times 3$ mm tile Finish: Embossed 12 mil CRU Quantity Per Carton: 18 tiles (12" × 24") Sq. Ft. Per Carton: 36 sq. ft./carton

Tiles • 12" x 24"



RT317_C06 Hughes Gray

























Tiles • 18" x 18"

Wainwright





















RT496_C05 RT496_C14

Tiles

RT505_C15 Springville Stone

Nominal Dimensions: $18'' \times 18'' \times 3$ mm tile Finish: Embossed 12 mil CRU Quantity Per Carton: 16 tiles (18" × 18") Sq. Ft. Per Carton: 36 sq. ft./carton



RT531_C09 Westhaven

Williston

DEGRADUS Available in the DeGradus format

R 2.0 Available in the Radius 2.0 format

Radius[™] 2.0

Our NEW Radius™ 2.0 2.5 mm/20 mil format was created with Main Street commercial business in mind. With a heavier ceramic reinforced wear surface than our classic Radius.

Radius 2.0 is a perfect choice for a variety of commercial installations including, but not limited to, office buildings, churches, and boutique retail. More variety means you have more choices to fit your budget and wear needs.

20RP208 C11

Miller Classic

20RP437 C23

20RP233_C17

20RP511_C02

Tiles • 18" x 18"



20RT531_C02

20RP312_C04

Kennard Classic

20RP534_C08

Planks • 7-1/8" x 47-1/4"

20RP236_C13

Raegan Lane




20RT531_C09 Westhaven

20RP350 C01

20RP545_C01

Myers Court

Vintage VanBuren





DeGradus



accommodate quick turnaround times.



DT531_C02

Tiles • 18" x 18"

















Finish: Embossed 7 mil PU



DP545_C01

DP350 C01

DT531_C09

DP174_C09

Huntingdon

DP401_C21



DP401_C35





DP437 C23 Roosevelt Red

DP233_C17

DP511_C02

Raegan Lane

DP534_C08

Nominal Dimensions: $18'' \times 18'' \times 2$ mm tile

Quantity Per Carton: 24 tiles (18" × 18")



20RP174 C09

Huntingdon

Buckley Brown


Nominal Dimensions: 18" x 18" x 2.5 mm tile Finish: Embossed 20 mil CRU Quantity Per Carton: 16 tiles (18" x 18") Sq. Ft. Per Carton: 36 sq. ft./carton


20RP188_C29

Gleason Gray

Planks

Nominal Dimensions: 7-1/8" x 47-1/4" x 2.5 mm plank





Sq. Ft. Per Carton: 54 sq. ft./carton


Planks

Tiles

Nominal Dimensions: $6'' \times 48'' \times 2$ mm planks Finish: Embossed 7 mil PU Quantity Per Carton: 27 planks (6" × 48") Sq. Ft. Per Carton: 54 sq. ft./carton

WARRANTY

10-Year Residential / Multi-Family Warranty





Crossover Chart

PATTERN NAME	RADIUS	DEGRADUS	R 2.0 (<i>RADIUS 20 MIL</i>)	PLANK/TILE	HIGH CONTRAST
BRIGGS RUSTIC	RP131 C02		()	PLANK	
HUNTINGDON	RP174 C09	DP174 C09*	20RP174 C09	PLANK	
COOPER BROWN	RP174 C14	_		PLANK	
GLEASON GRAY	RP188 C29	DP188 C29*	20RP188 C29	PLANK	
MILLER CLASSIC	RP208 C11	DP208 C11*	20RP208_C11	PLANK	
ALTON WOOD	RP210 C04	_	_	PLANK	
ALEXANDER OAK	RP220 C12			PLANK	
UNION PLANK	RP232 C04			PLANK	
McDOUGAL OAK	RP233 C08			PLANK	
SILVER STEELE	RP233_C17	DP233_C17*	20RP233_C17	PLANK	
ELWOOD	RP233 C20	_		PLANK	
BURNHAM OAK	RP233 C21			PLANK	
TAYLOR TAUPE	RP236 C13	DP236 C13*	20RP236 C13	PLANK	H/C
KENNARD CLASSIC	RP312_C04	DP312 C04*	20RP312_C04	PLANK	
PALMER PLANK	RP312_C37	_	_	PLANK	
OXFORD GRAY	RP324 C05			PLANK	
WATSON IRON	RP324 C06			PLANK	
WOODLAND	RP330 C02			PLANK	
VINTAGE VANBUREN	RP350_C01	DP350_C01*	20RP350_C01	PLANK	
MEADOW LANE	RP381 C02			PLANK	
BUCKLEY BROWN	RP401_C21	DP401_C21*	20RP401 C21	PLANK	
NICHOLS OAK	RP401_C35	DP401_C35*	20RP401 C35	PLANK	
ROOSEVELT RED	RP437_C23	DP437_C23*	20RP437_C23	PLANK	H/C
JOHNSON WHITEWASH	RP445_C19			PLANK	
WEST RIDGE WOOD	RP454_C18			PLANK	
OAKLAWN	RP511_C02	DP511_C02*	20RP511_C02	PLANK	
RAEGAN LANE	RP511_C05	DP511_C05*	20RP511_C05	PLANK	
GRAY PARK	RP511_C06			PLANK	
DASHWOOD	RP534_C08	DP534_C08*	20RP534_C08	PLANK	H/C
MYERS COURT	RP545_C01	DP545_C01*	20RP545_C01	PLANK	H <mark>/C</mark>
ARBOR ASH BLONDE	RP546_C06			PLANK	
PERRY VINTAGE	RT269_C02			TILE	
STAR VINTAGE	RT269_C03			TILE	
SUMMIT STONE	RT315_C04			TILE	
HAYS BEIGE	RT317_C05			TILE	
HUGHES GRAY	RT317_C06			TILE	
POTTER	RT349_C01			TILE	
BRADNER	RT496_C05			TILE	
BANNISTER	RT496_C14			TILE	H <mark>/C</mark>
SPRINGVILLE STONE	RT505_C15			TILE	
WAINWRIGHT	RT531_C02	DT531_C02	20RT531_C02	TILE	
WILLISTON	RT531_C08	0770		TILE	
WESTHAVEN	RT531_C09	DT531_C09	20RT531_C09	TILE	












KEY CHART

D DEGRADUS 2.0 R 2.0 HC High Contrast * 6 x 48

O O O O O 844.432.5885 • sixdegreesflooring.com • 15



HC HIGH CONTRAST VISUALS

Many of the Compass visuals are high contrast visuals, and therefore not all colors and/or textures represented in the full design will be visible in this brochure. Items marked with the symbol are considered high contrast. We suggest visiting www.sixdegreesflooring.com to view full size and room scene visuals of these designs. You may also email support@sixdegreesflooring.com to order full-size samples



The Six Degrees of **Compass™** FLOORING

- 56 designer-inspired colors and patterns, all at a single price point
- A 28 mil wear layer enhanced with the addition of our UV Cured, Ceramic-Reinforced Urethane finish makes it the ideal choice for heavy commercial traffic areas such as hospitals and retail
- A lower-maintenance flooring option which does not require a finish
- An eco-friendly product made from locally sourced raw materials
- Simple glue down installation allows for greater pattern/design flexibility
- Readily available ... made and inventoried in the USA!

FEATURES

- Easy to Maintain
- Qualifies for LEED® Credits
- GREENGUARD Gold Certification
- Ceramic-Reinforced UV-Cured Finish
- Enhanced with EnviroSD™ Antibacterial Agent
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable

WARRANTY

20-Year Commercial Warranty









ENVIRONMENTAL PRODUCT DECLARATION® is available at sixdegreesflooring.com

For additional room scene images of all Six Degrees products, please visit **sixdegreesflooring.com**, click on the product page to view colors & room scene options.

For the most current and complete technical, installation and maintenance information, please visit sixdegreesflooring.com



Compass ™ Collection

Planks • 6"x 48"

Planks

Nominal Dimensions: 6" x 48" x 3 mm plank Finish: Embossed 28 mil CRU Quantity Per Carton: 18 planks (6" x 48") Sq. Ft. Per Carton: 36 sq. ft./carton





CP316_C04



















Nominal Dimensions: 12" x 24" x 3 mm tile

Quantity Per Carton: 18 tiles (12" x 24") Sq. Ft. Per Carton: 36 sq. ft./carton

Finish: Embossed 28 mil CRU

Miami

Tiles • 18" x 18"

CT419_C02

Calgary



CT405_C08







Montreal











CT423_C01

Phoenix



Tiles

Nominal Dimensions: 18" x 18" x 3 mm tile

New York


Quantity Per Carton: 16 tiles (18" x 18")

Sq. Ft. Per Carton: 36 sq. ft./carton

Finish: Embossed 28 mil CRU

CT423 C02






CP420_C01 Nashville























CT405_C09 Anchorage



Portland

CP236_C13



CP420 C02







P421_C01 Austin



Tiles



























Compass Colors™ Collection Where will your design direction take you? Somewhere bold, bright and colorful? Then let the Compass Colors™ Collection lead the way. With 15 new beautiful colors, our Compass Colors™ Collection is great for schools, pediatrics offices, corporate lobbies... anywhere you want your floors to stand out or add a splash of color. Best of all, they're made here in the USA. It's a big world out there...we're here to help you make it more colorful. The Compass Colors™ Collection... A Colorful Solution for Flooring Needs. CT205_C26 Orlando CT205_C33 Green Bay CT205_C24 Knoxville CT205_C31 Des Moines CT205_C34 Boise CT205_C27 Cincinnati CT205_C36 Baton Rouge

















CT205_C08 Pittsburgh

CT205_C31 Des Moines

CT205_C23

CT205_C25











CT205_C37



CT205_C24

CT205_C27 Cincinnati

CT205_C32 San Diego



CT205_C35

CT205_C33 Green Bay

FEATURES

CT205_C26

- Easy to Maintain
- Qualifies for LEED® Credits

Orlando

- GREENGUARD Gold Certification
- Ceramic-Reinforced UV-Cured Finish
- Enhanced with EnviroSD™ Antibacterial Agent
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable

Tiles

Nominal Dimensions: 12" x 24" x 3 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 18 tiles (12" x 24") Sq. Ft. Per Carton: 36 sq. ft./carton

WARRANTY

20-Year Commercial Warranty



























Impression How does the saying go? You never get a second chance to make a good first impression. Well, with Impression™ Vinyl Stair Treads, you won't need one. Our unique and expertly engineered tread designs match perfectly with many of our top-selling styles, so the transition from floor to stairs flows smoothly. The one-piece tread/riser design is constructed from the same high quality, heavy commercial vinyl plank we produce, ensuring you a consistent and beautifully finished product every time. Impression[™] Treads from Six Degrees... a forward thinking stair tread solution. *(S) - Visual Strips To add the visual strip, please specify an "S" At the end of the part # I.E. IS211_C01S



IS174_C15 *(S) Caulk: IC174_C15





IS221 C36 *(S) Caulk: IC221_C36



IS406_C09 *(S) Caulk: IC406_C09



IS211_C01 *(S) Gingered Beech Caulk: IC211_C01



IS233 C05 *(S) Limed Gray Oak Caulk: IC233_C05



IS330_C22 *(S) Omaha Caulk: IC330_C22





Caulk: IC236_C13



IS330 C02 *(S) Caulk: IC330_C02





Tread Depth: 14-1/8" Riser Height: 8-1/4" (Depth and height can be trimmed to fit) Lengths: Available in 6" increments from 36" up to 108" Finish: Embossed 28 mil CRU

8-1/4"

14-1/8" Tread Depth

WARRANTY

10-Year Commercial Warranty

FEATURES

• Exact match to our 3 mm/28 mil LVT options

San Francisco


• One-piece tread-riser design with the break at the riser makes for a clean smooth finish

Park City


- Coordinating optional J-channel accessory available for a clean install and look
- Optional visual strip can be incorporated into the film layer
- All treads are made to order and specially packaged
- GREENGUARD Gold Certification
- Ceramic-Reinforced UV-Cured Finish
- Enhanced with EnviroSD™ Anti-Bacterial Agent
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable













Packaging Data / Specifications

Radius™

Planks

Nominal Dimensions: 7-1/8" x 47-1/4" x 3 mm plank Finish: Embossed 12 mil CRU Quantity Per Carton: 15 planks (7-1/8" x 47-1/4") Sq. Ft. Per Carton: 34.84 sq. ft./carton







10-Year Commercial Warranty 20-Year Residential Warranty

Tiles 12"x24"

Nominal Dimensions: 12" × 24" × 3 mm tile Finish: Embossed 12 mil CRU Quantity Per Carton: 18 tiles (12" × 24") Sq. Ft. Per Carton: 36 sq. ft./carton

Tiles 18"x18"

Nominal Dimensions: 18" × 18" × 3 mm tile Finish: Embossed 12 mil CRU Quantity Per Carton: 16 tiles (18" × 18") Sq. Ft. Per Carton: 36 sq. ft./carton

Compass/Compass Colors ™

Planks

Nominal Dimensions: 6" x 48" x 3 mm plank Finish: Embossed 28 mil CRU Quantity Per Carton: 18 planks (6" x 48") Sq. Ft. Per Carton: 36 sq. ft./carton

Tiles 18"x18"

Nominal Dimensions: 18" x 18" x 3 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 16 tiles (18" x 18") Sq. Ft. Per Carton: 36 sq. ft./carton

Tiles 12"x24"

Nominal Dimensions: 12" x 24" x 3 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 18 tiles (12" x 24") Sq. Ft. Per Carton: 36 sq. ft./carton

20-Year Commercial Warranty









Radius[™] 2.0

Planks

Nominal Dimensions: 7-1/8" x 47-1/4" x 2.5 mm plank Finish: Embossed 20 mil CRU Quantity Per Carton: 15 planks (7-1/8" x 47-1/4") Sq. Ft. Per Carton: 34.84 sq. ft./carton

15-Year Commercial Warranty

Tiles

Nominal Dimensions: 18" x 18" x 2.5 mm tile Finish: Embossed 20 mil CRU Quantity Per Carton: 16 tiles (18" x 18") Sq. Ft. Per Carton: 36 sq. ft./carton









Impression T

Stair Tread

Tread Depth: 14-1/8"
Riser Height: 8-1/4"
(Depth and height can be trimmed to fit)
Lengths availble in 6" increments from 36" up to 108"
Finish: Embossed 28 mil CRU

**All treads are made to order and specially packaged.

10-Year Commercial Warranty









DeGradus[™]

Planks

Nominal Dimensions: $6'' \times 48'' \times 2$ mm tile Finish: Embossed 7 mil PU Quantity Per Carton: 27 planks $(6'' \times 48'')$ Sq. Ft. Per Carton: 54 sq. ft./carton

10-Year Residential / Multi-Family Warranty

Tiles

Nominal Dimensions: $18'' \times 18'' \times 2$ mm tile Finish: Embossed 7 mil PU Quantity Per Carton: 24 tiles ($18'' \times 18''$) Sq. Ft. Per Carton: 54 sq. ft./carton









For the most current and complete technical data, and CSI formatted specifications info, please visit **sixdegreesflooring.com** or scan the QR code above.



Excelsior/Installation & Maintenance

Everything you need for a beautifully installed and maintained floor. All Excelsior adhesives and installation products have been tested by our technical services team for quality and performance with all Six Degrees branded flooring and treads.

Adhesives



C-631 Water-Based **Contact Adhesive**



AW-510 **Acrylic Wet-Set**



PS-525 **Modified Pressure Sensitive Adhesive**



Epoxy Nose Filler Adhesive



TP-620 **Pressure-Sensitive Tape Adhesive**



U-705 **Urethane Resilient** Adhesive

· Adhesive selections must be made based on porosity of the substrate and the final usage of the space



EW-710 **Epoxy Wet-Set** Adhesive

• Refer to Adhesive Chart for specific adhesive recommendations based on product and substrate type Limitations • For a complete list of product limitations, please see each product's Technical Data Sheet **ADHESIVE RECOMENDATIONS** Approved Approved **Existing Stone Porous Substrates** Non-Porous Flooring Terrazzo, **Existing Vinyl Flooring Product** (Concrete, Wood, Substrates Ceramic Porcelain Description Cementitious Materials) (Metal, Resinous Substrates)

Sound Control Underlayment



CSU-400 Cork Sound Control Underlayment



Floating Sound Underlayment

Latex Caulk



Maintenance Products



NC-900 **All Purpose Neutral Cleaner**



FR-920 Floor Finish Remover



MF-940 Matte Acrylic Floor Finish



GF-950 **Gloss Acrylic** Floor Finish

For the most current and complete technical, installation and maintenance information, please visit sixdegreesflooring.com or scan our QR code







LVT Tile &

Planks

Product





AW-510, EW-710,

PS-525, U-705









AW-510, EW-710,

PS-525, U-705





Properly Prepared

(VAT, VCT, SVT, Quartz

Tile, Sheet Vinyl)

EW-710,

PS-525, U-705









































931 South Springville Avenue • Fostoria, Ohio 44830

844.432.5885

sixdegreesflooring.com

a division of the Roppe Holding Company

You can find us on...

















