

O O O YOU'RE JUST A FEW STEPS AWAY

0 0 0

Welcome to the exciting world of Six Degrees Flooring Surfaces ™. When you select a floor from Six Degrees, you can rest assured you have selected one made from the highest quality, regionally-sourced raw materials in a state-of-the-art, family-owned factory, right here in the USA. Our products are both durable and beautiful, and we take great pride in providing our customers with the best possible service and care. Innovative production technology, superior wear and scratch resistance, and our commitment to both you, our customer, and the environment are what set us apart from the rest. American made. American served.

You're just a few steps away from the high quality and high style of Six Degrees Flooring Surfaces ™.

### Table of Contents

- 3. Why Six Degrees?
- 5. Premium Construction
- 7. Sustainability
- 9. Radius Collection
- 11. Radius Colors
- 13. Radius 2.0 and DeGradus
- 15. Crossover Chart for Radius / 2.0 / DeGradus
- 17. Compass Collection / Compass Plus
- 21. Compass Colors Collection
- 23. Impression Collection
- 25. Packaging Data / Specifications
- 27. Excelsior / Installation & Maintenance





<sup>\*</sup> Cover Product Images Large Photo: CP420\_C01 Nashville Small Photo: 20RP437\_C23 Roosevelt Red





At Six Degrees Flooring Surfaces TM, we take great pride in providing our customers with the highest quality, American made luxury vinyl tile & plank. Great care is taken throughout our production process to ensure a safe and sustainable flooring product; one that meets a variety of needs and aesthetics.

- Designer Inspired
- Low Maintenance
- Readily Available
- Highly Durable
- Eco Friendly
- Easy Installation

IS236\_C13S Portland with V/I Stripe

**IMPRESS** 

RADIUS 2.0

**DeGradus** 







## Premium Construction

Construction matters. Our attention to detail matters. We use only the highest quality virgin raw materials in the manufacturing of our dry back / glue down luxury vinyl plank and tile products. From our heat resistant backings to our durable wear layers, each component is carefully produced to ensure high performance and dimensional stability. No matter the application or budget, we have a product for you; and best of all, our products are all made and inventoried in our U.S. manufacturing facility located in Fostoria, Ohio.



















### Sustainability

At Six Degrees, we are dedicated to the environment and work tirelessly to provide LVT products that are not only beautiful, but durable and eco-friendly, as well. We are proud to be a strong environmental steward and continue to work to improve upon our sourcing and production practices, offering additional satisfaction that you have selected a floor with the environment in mind.

### **Our Story...**

It began 15 years ago when senior managers from the Roppe Holding Company were introduced to Nox Corporation LVT/P from South Korea. Their high quality and aesthetics impressed the RHC team, who was looking to provide their customers with a durable LVT/P flooring option. For several years, a working relationship grew between the two companies as RHC purchased flooring products made in their Korean facilities. In 2014, an opportunity to manufacture these products in the U.S. became reality...an empty factory was found, equipment was installed, staff was hired, and Nox Corporation had a partner in RHC and a new U.S. operation in Fostoria, Ohio.



Fast forward two years to April of 2016, and the Six Degrees brand was born... launched to the North American market with Made in the USA LVT/P products. In 2017, Sustainable Purchasing Leadership Council (SPLC) recognized the RHC/Six Degrees effort with a Case Study Award on this collaborative work to onshore an international supplier.

### **Our Products...**

We know it looks odd to say "no recycled content" in the LVT/P business, but that is how our products are made; with only the highest quality virgin materials, including limestone, PVC resin, non-phthalate plasticizers, films, and superior wear finishes. We know from Healthy Building Network\* studies that a wide variety of ingredients have been used in vinyl flooring in the past... but that's not how we operate. Our materials are sourced in the USA, most of them regionally, and are free of asbestos, heavy metals and other chemicals of concern that can be introduced to new vinyl products through "recycled materials."

\*To learn more about recycling concerns in flooring, see Healthy Building Network studies (California 2005)



Six Degrees LVT meets the toughest emissions test we have in the USA, the GREENGUARD Gold Certification standard by Underwriters Laboratory. In this test, our products spend two weeks in a small chamber with airflow simulating that of an office or education environment. Exiting air is filtered and the material filtered is

analyzed for volatile organic compounds, commonly know as VOCs. VOC levels need to be 1/3 to 1/10th of the threshold limit values to pass the GREENGUARD Gold Certification standard.



An Environmental Product Declaration (EPD) is available for our glue down LVT/P flooring products. An EPD ensures transparency in the composition of our products, how they are manufactured, and how they go to market. You, as the customer, can rest well knowing you are selecting a flooring product free of contaminants and harmful chemicals...one that is manufactured in the USA using regionally sourced raw materials, and once produced, a product that ships from our warehouse to your door.

### The Six Degrees of Sustainability...

- Our floors are 100% recyclable after use, which means even when your life with the floor is complete, a new product can be created...and that means less waste in landfills.
- Proudly manufactured in the USA. Less transport and fuel costs are needed to get your new flooring to you, our valued customer.
- Our products do not require an additional finish, which means less chemicals, less water and less energy are needed to maintain them and keep them looking beautiful.
- Six Degrees uses only 100% virgin vinyl materials. There is no recycled content and therefore no need to worry about contaminants in your flooring.
- Only non-phthalate plasticizers are used in the production of our floors. Six Degrees was the first in the industry to make this important change.
















ENVIRONMENTAL
PRODUCT
DECLARATION®
is available at
sixdegreesflooring.com

For additional room scene images of all Six Degrees products, please visit **sixdegreesflooring.com**, click on the product page to view colors & room scene options.

## • Radius™ collection



# The Six Degrees of **Radius**™ VINYL FLOORING

- A designer-inspired palette of colors and patterns, all at a single price point
- Enhanced performance and durability made possible by the addition of our Ceramic Reinforced Urethane (CRU)
- A lower-maintenance flooring option which does not require a finish
- An eco-friendly product made from regionally sourced raw materials
- Simple glue down installation allows for greater pattern/design flexibility
- Readily available...made and inventoried in the USA!

With a variety of style options and the eco-friendly nature of Radius<sup>TM</sup>, you're just a few steps away from *a floor that* delivers the utmost in design and performance.

#### **FEATURES**

- Easy to Maintain
- Qualifies for LEED® Credits
- GREENGUARD Gold® Certification
- UV-Cured Ceramic-Reinforced Finish
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable

#### WARRANTY

10-Year Commercial Warranty20-Year Residential Warranty

#### ENVIRONMENTAL PRODUCT DECLARATION®

is available at sixdegreesflooring.com

For additional room scene images of all Six Degrees products, please visit **sixdegreesflooring.com**, click on the product page to view colors & room scene options.

For the most current and complete technical, installation and maintenance information, please visit sixdegreesflooring.com
































## Radius<sup>™</sup> Colors

## Planks • 7-1/8" x 47-1/4"



RP324\_C06 Watson Iron



RP312\_C04 Kennard Classic



RP208 C11 Miller Classic



RP511 C06 Gray Park



RP174 C09 Huntingdon



RP188\_C29 Gleason Gray



RP233 C17 Silver Steele



RP324 C05 Oxford Gray



RP232 C04 Union Plank



RP233\_C21 Burnham Oak



RP236\_C13 Taylor Taupe




RP534\_C08 Dashwood



RP401\_C35 Nichols Oak



RP546 C06 Arbor Ash Blonde



RP511\_C02 Oaklawn



RP445\_C19 Johnson Whitewash



RP233\_C20 Elwood



RP233\_C08 McDougal Oak



RP545\_C01 Myers Court



RP350\_C01 Vintage VanBuren



RP210 C04 Alton Wood



RP381\_C02 Meadow Lane



RP220\_C12 Alexander Oak



RP437\_C23 Roosevelt Red



RP312\_C37



RP511 C05 Raegan Lane



RP454\_C18 West Ridge Wood



RP174\_C14 Cooper Brown



RP401\_C21 **Buckley Brown** 



Tiles • 12" x 24"

RP330\_C02 Woodland



RP131\_C02 Briggs Rustic

### **Planks**

Nominal Dimensions: 7-1/8" x 47-1/4" x 3 mm plank Finish: Embossed 12 mil CRU Quantity Per Carton: 15 planks (7-1/8" x 47-1/4")

Nominal Dimensions: 12" × 24" × 3 mm tile Finish: Embossed 12 mil CRU Quantity Per Carton: 18 tiles (12" × 24") Sq. Ft. Per Carton: 36 sq. ft./carton

Sq. Ft. Per Carton: 34.84 sq. ft./carton



RT317\_C06 Hughes Gray













RT349\_C01 Potter



























## Tiles • 18" x 18"













**R 2.0** Available in the Radius 2.0 format

**DEGRADUS** Available in the DeGradus format

### **Tiles**

Nominal Dimensions:  $18'' \times 18'' \times 3$  mm tile Finish: Embossed 12 mil CRU Quantity Per Carton: 16 tiles  $(18'' \times 18'')$ Sq. Ft. Per Carton: 36 sq. ft./carton

















## Radius<sup>™</sup> 2.0

Our Radius<sup>™</sup> 2.0 2.5 mm/20 mil format was created with Main Street commercial business in mind. With a heavier ceramic reinforced wear surface than our classic Radius, Radius 2.0 is a perfect choice for a variety of commercial installations including, but not limited to, office buildings, churches, and boutique retail. More variety means you have more choices to fit your budget and wear needs.











## Tiles • 18" x 18"







20RT531 C09 Westhaven

## Planks • 7-1/8" x 47-1/4"



20RP312 C04 Kennard Classic



20RP208\_C11 Miller Classic



20RP174 C09 Huntingdon



20RP188\_C29 Gleason Gray



20RP233\_C17 Silver Steele



20RP236\_C13 Taylor Taupe



20RP534\_C08 Dashwood



20RP401\_C35 Nichols Oak



20RP511 C02 Oaklawn



20RP545\_C01 Myers Court



20RP350\_C01 Vintage VanBuren



Roosevelt Red



Raegan Lane



20RP401 C21 Buckley Brown



### **Tiles**

Nominal Dimensions: 18" x 18" x 2.5 mm tile Finish: Embossed 20 mil CRU Quantity Per Carton: 16 tiles (18" x 18") Sq. Ft. Per Carton: 36 sq. ft./carton

### **Planks**

Nominal Dimensions: 7-1/8" x 47-1/4" x 2.5 mm plank Finish: Embossed 20 mil CRU Quantity Per Carton: 15 planks (7-1/8" x 47-1/4") Sq. Ft. Per Carton: 34.84 sq. ft./carton

### WARRANTY

**15-Year Commercial Warranty** 

Ideal for high wear residential applications, DeGradus™ offers a variety of wood and stone patterns to create beautiful, longlasting flooring installations. DeGradus™ planks and tiles are an aesthetically pleasing and cost effective way to complete your flooring project. Manufactured and inventoried in the USA, DeGradus<sup>™</sup> planks and tiles are readily available to accommodate quick turnaround times.









### Tiles • 18" x 18"







DT531 C09 Westhaven

## Planks 6" x



DP312\_C04 Kennard Classic



DP208\_C11 Miller Classic



DP174\_C09 Huntingdon



DP188\_C29 Gleason Gray



DP233\_C17 Silver Steele



DP236\_C13 Taylor Taupe



DP534 C08 Dashwood



DP401\_C35 Nichols Oak



DP511 C02 Oaklawn



DP545\_C01 Myers Court



DP350\_C01 Vintage VanBuren



DP437 C23 Roosevelt Red



DP511 C05 Raegan Lane



DP401 C21 **Buckley Brown** 

### **Tiles**

Nominal Dimensions:  $18'' \times 18'' \times 2$  mm tile

Finish: Embossed 7 mil PU

Quantity Per Carton: 24 tiles (18" × 18") Sq. Ft. Per Carton: 54 sq. ft./carton

### **Planks**

Nominal Dimensions:  $6'' \times 48'' \times 2$  mm planks Finish: Embossed 7 mil PU Quantity Per Carton: 27 planks (6" × 48") Sq. Ft. Per Carton: 54 sq. ft./carton

### WARRANTY

10-Year Residential / Multi-Family Warranty

















## Crossover Chart

PATTERN NAME	RADIUS	DEGRADUS	<b>R 2.0</b> ( <i>RADIUS 20 MIL</i> )	PLANK/TILE	HIGH CONTRAST
BRIGGS RUSTIC	RP131 C02		(	PLANK	
HUNTINGDON	RP174 C09	DP174 C09*	20RP174_C09	PLANK	
COOPER BROWN	RP174 C14	_		PLANK	
GLEASON GRAY	RP188 C29	DP188 C29*	20RP188 C29	PLANK	
MILLER CLASSIC	RP208 C11	DP208_C11*	20RP208_C11	PLANK	
ALTON WOOD	RP210 C04	_		PLANK	
ALEXANDER OAK	RP220 C12			PLANK	
UNION PLANK	RP232 C04			PLANK	
McDOUGAL OAK	RP233 C08			PLANK	
SILVER STEELE	RP233 C17	DP233_C17*	20RP233_C17	PLANK	
ELWOOD	RP233 C20		20111 200_017	PLANK	
BURNHAM OAK	RP233 C21			PLANK	
TAYLOR TAUPE	RP236 C13	DP236 C13*	20RP236_C13	PLANK	H/C
KENNARD CLASSIC	RP312 C04	DP312 C04*	20RP312 C04	PLANK	11,7 C
PALMER PLANK	RP312 C37	D1012_001	20111 312_01	PLANK	
OXFORD GRAY	RP324 C05			PLANK	
WATSON IRON	RP324 C06			PLANK	
WOODLAND	RP330 C02			PLANK	
VINTAGE VANBUREN	RP350 C01	DP350_C01*	20RP350 C01	PLANK	
MEADOW LANE	RP381 C02	21330_01	20111 330_001	PLANK	
BUCKLEY BROWN	RP401 C21	DP401 C21*	20RP401 C21	PLANK	
NICHOLS OAK	RP401 C35	DP401 C35*	20RP401 C35	PLANK	
ROOSEVELT RED	RP437 C23	DP437 C23*	20RP437_C23	PLANK	H/C
JOHNSON WHITEWASH	RP445 C19	D1 137_C23	20111 137_023	PLANK	11/ C
WEST RIDGE WOOD	RP454 C18			PLANK	
OAKLAWN	RP511 C02	DP511 C02*	20RP511 C02	PLANK	
RAEGAN LANE	RP511 C05	DP511 C05*	20RP511 C05	PLANK	
GRAY PARK	RP511 C06	21311_003	20111 311 _ 203	PLANK	
DASHWOOD	RP534 C08	DP534 C08*	20RP534 C08	PLANK	H/C
MYERS COURT	RP545 C01	DP545 C01*	20RP545 C01	PLANK	H/C
ARBOR ASH BLONDE	RP546 C06	2.0.0_00.	20111 3 13_601	PLANK	170
7.11.2011.71.311.32011.32	111 3 10 <u></u> 200			1 27 (1 (1)	
PERRY VINTAGE	RT269 C02			TILE	
STAR VINTAGE	RT269 C03			TILE	
SUMMIT STONE	RT315 C04			TILE	
HAYS BEIGE	RT317_C05			TILE	
HUGHES GRAY	RT317_C06			TILE	
POTTER	RT349 C01			TILE	
BRADNER	RT496 C05			TILE	
BANNISTER	RT496 C14			TILE	
SPRINGVILLE STONE	RT505_C15			TILE	
WAINWRIGHT	RT531_C02	DT531_C02	20RT531_C02	TILE	
WILLISTON	RT531_C08		20111001_002	TILE	
WESTHAVEN	RT531_C09	DT531_C09	20RT531_C09	TILE	

KEY CHART D DEGRADUS 2.0 R 2.0 HC High Contrast \*6 × 48









For additional room scene images of all Six Degrees products, please visit **sixdegreesflooring.com,** click on the product page to view colors & room scene options.



















### HC HIGH CONTRAST VISUALS

Many of the Compass visuals are high contrast visuals, and therefore not all colors and/or textures represented in the full design will be visible in this brochure. Items marked with the symbol are considered high contrast. We suggest visiting www.sixdegreesflooring.com to view full size and room scene visuals of these designs. You may also email support@sixdegreesflooring.com to order full-size samples



### The Six Degrees of **Compass™** FLOORING

- 40 designer-inspired colors and patterns, all at a single price point
- A 28 mil wear layer enhanced with the addition of our UV Cured, Ceramic-Reinforced Urethane finish makes it the ideal choice for heavy commercial traffic areas such as hospitals and retail
- A lower-maintenance flooring option which does not require a finish
- An eco-friendly product made from regionally sourced raw materials
- Simple glue down installation allows for greater pattern/design flexibility
- Readily available ... made and inventoried in the USA!

#### **FEATURES**

- Easy to Maintain
- Qualifies for LEED® Credits
- GREENGUARD Gold Certification
- Ceramic-Reinforced UV-Cured Finish
- Enhanced with EnviroSD™ Antibacterial Agent
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable

#### WARRANTY

**20-Year Commercial Warranty** 













ENVIRONMENTAL PRODUCT DECLARATION®

is available at

sixdegreesflooring.com

For additional room scene images of all Six Degrees products, please visit **sixdegreesflooring.com**, click on the product page to view colors & room scene options.

For the most current and complete technical, installation and maintenance information, please visit sixdegreesflooring.com

















## Compass ™ Collection

## Planks • 6"x 48"

### **Planks**

Nominal Dimensions: 6" x 48" x 3 mm plank Finish: Embossed 28 mil CRU Quantity Per Carton: 18 planks (6" x 48") Sq. Ft. Per Carton: 36 sq. ft./carton

CP406\_C08

Denver

CP236\_C15




CP564\_C04\_Halifax CP565\_C04\_Winnipeg

CP221\_C36 San Francisco

CP236 C13

CP511\_C02

Casper




CP330\_C02

Dallas

## Tiles • 18" x 18"

### **Tiles**

Nominal Dimensions: 18" x 18" x 3 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 16 tiles (18" x 18") Sq. Ft. Per Carton: 36 sq. ft./carton





CT496\_C05 Buffalo



CT496\_C14 Tempe



CT496\_C16 Little Rock



CT567\_C11

Tampa Bay



CT567\_C10 Milwaukee



Available in Impression™ I VT Tread/Riser



Available in Radius™ Crossover Color

## Tiles • 12" x 24"

### **Tiles**

Nominal Dimensions: 12" x 24" x 3 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 18 tiles (12" x 24") Sq. Ft. Per Carton: 36 sq. ft./carton




CT205\_C56 Fargo



CT317\_C05 Richmond



CT205\_C55 Columbia



CT317\_C06 **Baltimore** 



CT553\_C23 Hartford



CT315\_C02 Detroit




CT553\_C03 Lexington




CT315\_C04

### NEW Compass™ Plus • mm

Introducing our new Compass Plus 5 mm luxury vinyl tile and plank. Featuring eight beautiful, versatile colors, Compass Plus has all the features of your standard Compass product, but with added thickness to make it easier for transitioning to carpet tiles and other thicker gauge flooring products. Now you have even more choices to meet your flooring needs... Compass<sup>™</sup> Plus, a new direction for Compass flooring.





### WARRANTY






















## Compass Colors<sup>™</sup> Collection







CT205\_C08 Pittsburgh



CT205\_C31 Des Moines



CT205\_C23 Vegas



CT205\_C25 Charlotte



CT205\_C34 Boise



CT205\_C24 Knoxville



CT205\_C27 Cincinnati



Tulsa

CT205\_C35



CT205\_C36 Baton Rouge



Memphis

CT205\_C37



CT205\_C28



CT205\_C26 Orlando



CT205\_C32 San Diego



CT205\_C33 Green Bay



- Easy to Maintain
- Qualifies for LEED® Credits
- GREENGUARD Gold Certification
- Ceramic-Reinforced UV-Cured Finish
- Enhanced with EnviroSD<sup>™</sup> Antibacterial Agent
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable

### **Tiles**

Nominal Dimensions: 12" x 24" x 3 mm tile

Finish: Embossed 28 mil CRU

Quantity Per Carton: 18 tiles (12" x 24") Sq. Ft. Per Carton: 36 sq. ft./carton

### WARRANTY

**20-Year Commercial Warranty** 

































### **FEATURES**

- Exact match to our 3 mm/28 mil LVT options
- One-piece tread-riser design with the break at the riser makes for a clean smooth finish
- Coordinating optional J-channel accessory available for a clean install and look
- Optional visual stripe can be incorporated into the film layer
- All treads are made to order and specially packaged
- GREENGUARD Gold Certification
- Ceramic-Reinforced UV-Cured Finish
- Enhanced with EnviroSD™ Anti-Bacterial Agent
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable

#### WARRANTY

**10-Year Commercial Warranty** 

Epoxy nose filler must be used for warranty to be valid















Tread Depth: 14-1/8" Riser Height: 8-1/4" (Depth and height can be trimmed to fit) Lengths: Available in 6" increments from 36" up to 108" Finish: Embossed 28 mil CRU

### **Optional J CHANNEL Accessory**



For more information about our coordinating rubber J Channel accessory, email support@sixdegreesflooring.com

















## Packaging Data / Specifications

### **Radius**<sup>™</sup>

### **Planks**

Nominal Dimensions: 7-1/8" x 47-1/4" x 3 mm plank Finish: Embossed 12 mil CRU

Quantity Per Carton: 15 planks (7-1/8" x 47-1/4") Sq. Ft. Per Carton: 34.84 sq. ft./carton













10-Year Commercial Warranty 20-Year Residential Warranty

### Tiles 12"x24"

Nominal Dimensions:  $12'' \times 24'' \times 3$  mm tile Finish: Embossed 12 mil CRU

Quantity Per Carton: 18 tiles  $(12'' \times 24'')$ Sq. Ft. Per Carton: 36 sq. ft./carton

### Tiles 18"x18"

Nominal Dimensions: 18"  $\times$  18"  $\times$  3 mm tile Finish: Embossed 12 mil CRU

Quantity Per Carton: 16 tiles  $(18" \times 18")$  Sq. Ft. Per Carton: 36 sq. ft./carton

### Radius<sup>™</sup> 2.0

#### **Planks**

Nominal Dimensions: 7-1/8" x 47-1/4" x 2.5 mm plank

Finish: Embossed 20 mil CRU

Quantity Per Carton: 15 planks (7-1/8" x 47-1/4")

Sq. Ft. Per Carton: 34.84 sq. ft./carton

**15-Year Commercial Warranty** 

### **Tiles**

Nominal Dimensions: 18" x 18" x 2.5 mm tile

Finish: Embossed 20 mil CRU

Quantity Per Carton: 16 tiles (18" x 18") Sq. Ft. Per Carton: 36 sq. ft./carton













### **DeGradus** To the second secon

### **Planks**

Nominal Dimensions:  $6'' \times 48'' \times 2$  mm tile Finish: Embossed 7 mil PU Quantity Per Carton: 27 planks ( $6'' \times 48''$ ) Sq. Ft. Per Carton: 54 sq. ft./carton

10-Year Residential / Multi-Family Warranty

#### **Tiles**

Nominal Dimensions:  $18'' \times 18'' \times 2$  mm tile Finish: Embossed 7 mil PU Quantity Per Carton: 24 tiles ( $18'' \times 18''$ ) Sq. Ft. Per Carton: 54 sq. ft./carton









































## **Compass/Compass Colors** Tolors

#### **Planks**

Nominal Dimensions: 6" x 48" x 3 mm plank Finish: Embossed 28 mil CRU Quantity Per Carton: 18 planks (6" x 48") Sq. Ft. Per Carton: 36 sq. ft./carton

### Tiles 18"x18"

Nominal Dimensions: 18" x 18" x 3 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 16 tiles (18" x 18") Sq. Ft. Per Carton: 36 sq. ft./carton

### Tiles 12" x 24"

Nominal Dimensions: 12" x 24" x 3 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 18 tiles (12" x 24") Sq. Ft. Per Carton: 36 sq. ft./carton

#### **20-Year Commercial Warranty**













## **Compass Plus**

### **Planks**

Nominal Dimensions: 6" x 48" x 5 mm plank Finish: Embossed 28 mil CRU Quantity Per Carton: 10 planks (6" x 48") Sq. Ft. Per Carton: 20 sq. ft./carton

### Tiles 12"x24"

Nominal Dimensions: 12" x 24" x 5 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 10 tiles (12" x 24") Sq. Ft. Per Carton: 20 sq. ft./carton

### Tiles 18" x 18"

Nominal Dimensions: 18" x 18" x 5 mm tile Finish: Embossed 28 mil CRU Quantity Per Carton: 10 tiles (18" x 18") Sq. Ft. Per Carton: 22.50 sq. ft./carton

#### **10-Year Commercial Warranty**













### **Impression** ™

### **Stair Tread**

Tread Depth: 14-1/8" Riser Height: 8-1/4" (Depth and height can be trimmed to fit) Lengths available in 6" increments from 36" up to 108" Finish: Embossed 28 mil CRU

\*\*All treads are made to order and specially packaged.

**10-Year Commercial Warranty** 

Epoxy nose filler must be used for warranty to be valid

































### Excelsior/Installation & Maintenance

Everything you need for a beautifully installed and maintained floor. All Excelsior adhesives and installation products have been tested by our technical services team for quality and performance with all Six Degrees branded flooring and treads.

### **Adhesives**



C-631
Water-Based
Contact Adhesive



PS-525

Modified Pressure
Sensitive Adhesive





TP-620 Pressure-Sensitive Tape Adhesive



U-705 Urethane Resilient Adhesive



EW-710 Epoxy Wet-Set Adhesive

Product Limitations

- Adhesive selections must be made based on porosity of the substrate and the final usage of the space
- Refer to Adhesive Chart for specific adhesive recommendations based on product and substrate type
- $\bullet \ For \ a \ complete \ list \ of \ product \ limit at ions, \ please \ see \ each \ product's \ Technical \ Data \ Sheet$

### **ADHESIVE RECOMMENDATIONS**

Product Description Approved
Porous Substrates
(Concrete, Wood,
Cementitious Materials)

Approved Non-Porous Substrates (Metal, Resinous Substrates) Existing Stone Flooring Terrazzo, Ceramic Porcelain Properly Prepared Existing Vinyl Flooring (VAT, VCT, SVT, Quartz Tile, Sheet Vinyl)

LVT Tile & Planks

EW-710, PS-525, U-705 EW-710, PS-525, U-705

EW-710, PS-525, U-705

## Sound Control Underlayment



CSU-400

Cork Sound Control
Underlayment



### **Latex Caulk**



### **Maintenance Products**



NC-900 All Purpose Neutral Cleaner



FR-920 Floor Finish Remover



MF-940 Matte Acrylic Floor Finish



Gloss Acrylic Floor Finish





For the most current and complete technical, installation and maintenance information please visit **sixdegreesflooring.com** or scan the QR code.





















a division of the Roppe Holding Company

1600 North Union Street • Fostoria, Ohio 44830

844.432.5885

### sixdegreesflooring.com















